# **Technical Data Sheet**



## **Pigment Yellow 12**

### **General Information**

Color Index	Pigment Yellow 12 (C.I. 21090)		
Product Code	DuraPlast®3176C-3		
CAS NO.	6358-85-6		
EC No.	228-787-8		
Chemical Formula	C <sub>32</sub> H <sub>26</sub> Cl <sub>2</sub> N <sub>6</sub> O <sub>4</sub>		

## **Physical Properties**

Density (g/cm³)	1.35-1.55
Specific Surface Area(m²/g)	33-63
Oil Absorption (g/100g)	40-50
PH Value	6-8
Bulk Density (lb/gal)	9.3-13.6
Total impurities(ppm)	≤600

### **Fastness Properties**

Heat Resistance ( $^{\circ}$ C)	180	Alkali Resistance (1-5)	4
Light Resistance (Full Shade, 1-8)	3-4	Migration Resistance(1-5)	2
Light (Reduced tinting, 1-8)	3	Ethyl Acetate (1-5)	3
Weather Resistance (1-5)	3	Ethanol (1-5)	4
Acid Resistance (1-5)	4	MEK (1-5)	2

### **Application & Performance**

Recommended for Plastic (PVC, PE, PP, Rubber), good color strength & vividness.

#### Note

Fineland Chem offers innovative pigment technologies designed for long-lastingperformance and consistent quality in industrial use. Product data is based oncurrent knowledge and for reference only. Users should verify suitability; no liability assumed for specific applications.

Date of issue Sep 1st, 2024

TDS Version 2.1