Technical Data Sheet



Chromium Oxide

General Information

Color Index	Pigment Green 17 (C.I. 77288)
Product Code	ColorCor®1717R
CAS NO.	1308-88-9
EC No.	205-685-1
Chemical Formula	Cr ₂ O ₃
Hue	Green powder

Physical Properties

Density (g/cm³)	5.2
Oil Absorption (g/100g)	10-20
Water soluble matter (%)	≤1.0
Mositure	≤1.0
PH Value	6-8
Sieve residue on 45 microns (%)	≤0.5
Primary particle size D50 (μm)	~1.3

Fastness Properties

Heat Resistance (°C)	<800
Light Resistance (Full Shade, 1-8)	8
Light (Reduced tinting, 1-8)	8
Weather Resistance (1-5)	5
Acid Resistance (1-5)	5

Alkali Resistance (1-5)	5
Migration Resistance(1-5)	4-5
Ethyl Acetate (1-5)	5
Ethanol (1-5)	5
MEK (1-5)	5

Application & Performance

Recommended for Plastic, PO, PVC (PVC & PVC Leather cloth), EVA, ABS, PS. Industrial paints, Coatings (Powder/Coil/Architectural), Fluorocarbon coating, Silicon coating, Heat resistance coating, Military camouflage coating etc. Exterior building products. Glass printing ink applications. Ceramic applications.

Note

Fineland Chem offers innovative pigment technologies designed for long-lastingperformance and consistent quality in industrial use. Product data is based oncurrent knowledge and for reference only. Users should verify suitability; no liability assumed for specific applications.

Date of issue: Sep. 1^{st} , 2024

TDS Version: 2.1