

# Technical Data Sheet

## Pigment Red 176



FINELAND CHEM  
泛成化工

### General Information

Color Index	Pigment Red 176 (C.I. 12515)
Product Code	DuraPrint®6576
CAS NO.	12225-06-8
EC No.	235-425-2
Chemical Formula	C <sub>32</sub> H <sub>24</sub> N <sub>6</sub> O <sub>5</sub>

### Physical Properties

Density (g/cm <sup>3</sup> )	1.4
Specific Surface Area(m <sup>2</sup> /g)	81
Oil Absorption (g/100g)	35-45
PH Value	6.0-8.0
Moisture Content (%)	≤1.5
Total impurities(ppm)	≤600

### Fastness Properties

Heat Resistance (°C)	280	Alkali Resistance (1-5)	5
Light Resistance (Full Shade, 1-8)	8	Bleeding Resistance(1-5)	5
Light (Reduced tinting, 1-8)	7	Ethyl Acetate (1-5)	5
Weather Resistance (1-5)	4-5	Ethanol (1-5)	5
Acid Resistance (1-5)	5	MEK (1-5)	4-5

### Application & Performance

Recommended for Printing inks, Solvent based ink, Laminate ink, PVC ink, UV ink, Water based ink etc .

### Note

Fineland Chem offers innovative pigment technologies designed for long-lasting performance and consistent quality in industrial use. Product data is based on current knowledge and for reference only. Users should verify suitability; no liability is assumed for specific applications.

Date of issue Sep 1<sup>st</sup>, 2024

TDS Version 2.1