Technical Data Sheet



Solvent Violet 31

(-an	Aral	Int	orm	ation
				анон

olor Index Solvent Violet 31(C.I.61102)	
Product Code	CorSol®3031
CAS NO.	70956-27-3
EC No.	/
Chemical Class	Anthraqinone
Hue	Reddish Violet

Physical Properties

Bulk Density (g/cm³)	0.38
Melting point ($^{\circ}\!\mathbb{C}$)	approx.287
Moisture(%)	≤0.5
Ash(%)	≤0.3
Insolubility(%)	≤0.3
PH Value	6-8
Fe Content(ppm)	≤1000

Fastness Properties

Heat Resistance (°C) in PS	300	Migration Resistance(1~5)	5
Light Resistance (Full Shade, 1-8)	7-8	Resistance to Acid(1~5)	5
Light (Reduced tinting, 1~8)	7	Resistance to Alkali(1~5)	5

^{*}Heat Resistance: the maximum temperature in °C at which a change of color (DE ≤ 3) occurs after a dwell time of 5 minutes in the barrel of an injection molding machine as per DIN EN 12877-1.

Application & Performance

Recommended for Plastic (PS, SAN, PC, ABS and ABS/PC blends), potential to use in PET.

Note

Fineland Chem offers innovative pigment technologies designed for long-lastingperformance and consistent quality in industrial use. Product data is based oncurrent knowledge and for reference only. Users should verify suitability; no liability is assumed for specific applications.

Date of issue: Sep., 1st 2024

TDS Version: 2.1

Tel: +86-571-83531793 Web: www.finelandchem.com Yuen Street, Mongkog, Kl, HK