

# Technical Data Sheet

## Pigment Yellow 12



FINELAND CHEM  
泛成化工

### General Information

Color Index	Pigment Yellow 12 (C.I. 21090)
Product Code	3176R-W
CAS NO.	6358-85-6
EC No.	228-787-8
Chemical Formula	C <sub>32</sub> H <sub>26</sub> Cl <sub>2</sub> N <sub>6</sub> O <sub>4</sub>

### Physical Properties

Density (g/cm <sup>3</sup> )	1.35-1.55
Specific Surface Area(m <sup>2</sup> /g)	38-75
Oil Absorption (g/100g)	24-67
PH Value	5.0-8.5
Bulk Density (lb/gal)	9.3-13.6
Total impurities(ppm)	≦ 600

### Fastness Properties

Heat Resistance (°C)	160	Alkali Resistance (1-5)	4
Light Resistance (Full Shade, 1-8)	2-3	Migration Resistance(1-5)	3
Light (Reduced tinting, 1-8)	1-2	Ethyl Acetate (1-5)	3
Weather Resistance (1-5)	4	Ethanol (1-5)	4
Acid Resistance (1-5)	4	MEK (1-5)	2

### Application & Performance

Recommended for water-based application, the coloring strength is average but low cost, mostly for water-based Ink.

### Note

\*Product specific and application information are based upon our current knowledge. They are non-binding and cannot be taken as guarantee. Users must establish the suitability of individual products. We do not accept any liability relating to the use of our products in particular applications.

Date of issue Sep 1<sup>st</sup>, 2024

TDS Version 2.1